

**Clamp hub**




























Clamp hub

Name	Size	Code	Weight	Price	Material
DN50	2"	B9001186			CS
DN80	3"	B9001187			CS
DN100	4"	B9001188			CS
DN125	5"	B9001197			CS
DN150	6"	B9001189			CS

Clamp hub



**Hammer unions/Clamp hub availability referbce chart**

NO. 产品	Color 颜色	Connection 连接端		Pressure Rating 压力		Sizes 尺寸								
		Female 母头	male 公头	Cold working	Test	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	8"
Fig.100		SUB×NPT	SUB×NPT	1,000	1,500			✓	✓	✓	✓	✓	✓	✓
		BW SUB	Blind	1,000	1,500					✓	✓	✓	✓	
		SUB×NPT	Blind	1,000	1,500					✓	✓	✓	✓	
		SUB×NPT	Dust Cap	1,000	1,500					✓	✓	✓		
Fig.200		SUB×NPT	SUB×NPT	2,000	3,000	✓	✓	✓	✓	✓	✓	✓	✓	✓
		BW SUB	BW SUB	2,000	3,000							✓		
		Blind	BW SUB	2,000	3,000				✓	✓	✓	✓	✓	
		SUB×NPT	Dust Cap	2,000	3,000				✓					
Fig.206		SUB×NPT	SUB×NPT	2,000	3,000	✓	✓	✓	✓	✓	✓	✓	✓	✓
		SUB×NPT	Blind	2,000	3,000		✓							
		Dust Cap	SUB×NPT	2,000	3,000		✓				✓			
		BW SUB	BW SUB	2,000	3,000						✓			
		BW SUB	Blind	2,000	3,000						✓			
Fig.207		BW SUB	Blanking union	2,000	3,000						✓			
Fig.602		SUB×NPT	SUB×NPT	6,000	9,000	✓	✓	✓		✓	✓			
		BW SUB	BW SUB	6,000	9,000									
		BW SUB	Blind	6,000	9,000			✓		✓	✓			
Fig.1002		SUB×NPT	SUB×NPT	10,000	1,500			✓		✓	✓			
		BW SUB	BW SUB	10,000	1,500			✓		✓	✓	✓	✓	
Fig.1502		SUB×NPT	SUB×NPT	15,000	22,500	✓	✓	✓		✓				
		BW SUB	BW SUB	15,000	22,500	✓	✓	✓		✓	✓	✓	✓	
Clamp Hub		BW×BW						✓		✓	✓	✓	✓	

**Oxidation**