

Gost couplings **Gost hose couplings**

Standard: Gost 28352-89
 Materials: Brass/ Aluminum
 Seal: NBR black or white


Name	Size	A	B	Code	L	Material
GOT50/25	DN50	78	25	B3401020	53	AL-forging
GOT50/32	DN50	78	32	B3401021	90	AL-forging
GOT50/38	DN50	78	38	B3402022	90	AL-forging
GOT50/42	DN50	78	42	B3402023	90	AL-forging
GOT50/45	DN50	78	45	B3402024	90	AL-forging
GOT50/52	DN50	78	52	B3402025	90	AL-forging
GOT50/52	DN50	78	52	B3402026	55	AL-forging
GOT70/52	DN70	95	52	B3402027	95	AL-forging
GOT70/65	DN70	95	65	B3402028	95	AL-forging
GOT70/75	DN70	95	75	B3402029	95	AL-forging
GOT80/52	DN70	95	52	B3402030	125	AL-forging
GOT80/65	DN80	107	65	B3402031	125	AL-forging
GOT80/70	DN80	107	70	B3402032	125	AL-forging
GOT80/75	DN80	107	75	B3402033	125	AL-forging
GOT80/75	DN80	107	75	B3402034	60	AL-forging
GOT50	DN50	78	52	B3401005		BR
GOT70	DN70	95	64	B3401006		BR
GOT80	DN80	107	75	B3401007		BR
GOT100	DN100	140	100	B3401008		BR



Gost couplings **Gost female thread**

Standard: Gost 28352-89
 Materials: Brass / Aluminum
 Seal: NBR black or white



Name	Size	A	B	Code	Material
GOF50	DN50	78	G2"	B3402001	AL-forging
GOF50	DN50	78	G2"	B3402010	AL-casting
GOF70	DN70	95	G2-1/2"	B3402002	AL-casting
GOF80	DN80	107	G3"	B3402003	AL-casting
GOF50	DN50	78	G2"	B3402004	BR
GOF70	DN70	95	G2-1/2"	B3402005	BR
GOF80	DN80	107	G3"	B3402006	BR




Gost couplings **Gost male thread**

Standard: EN/DIN
 Materials: Brass / Aluminum
 Seal: NBR black or white

Name	Size	A	B	Code	Material
GOM50	DN50	78	G2"	B3403001	AL-casting
GOM70	DN70	95	G2-1/2"	B3403002	AL-forging
GOM80	DN80	107	G3"	B3403003	AL-forging
GOM50	DN50	78	G2"	B3403004	BR
GOM70	DN70	95	G2-1/2"	B3403005	BR
GOM80	DN80	107	G3"	B3403006	BR





Gost couplings

Standard
Materials
Seal

Gost blid cap

Gost 28352-89
Brass / Aluminum
NBR black or white

Name	Size	A	Code	Weight	Material
GOC50	DN50	78	B3404001	0.260	AL-casting
GOC70	DN70	95	B3404002	0.600	AL-casting
GOC80	DN80	107	B3404003	0.270	AL-casting

GOC50	DN50	78	B3404004	1.00	BR
GOC70	DN70	95	B3404005	1.50	BR
GOC80	DN80	107	B3404006	1.98	BR

Gost couplings

Standard
Materials

Seals

Gost 28352-89
NBR

Name	Size	Code	Material
DN50	2 "	B3405001	NBR
DN70	2 1/2 "	B3405002	NBR
DN80	3 "	B3405003	NBR

Gost couplings

Special gost couplings with storz tail

Standard
Materials
Seal

Gost 28352-89
Aluminum
NBR black or white

Name	DN/mm	Code	D	H	Material
DN50/25	50	B3401020	24.5	53	AL-casting
DN50/32	50	B3401021	32	90	AL-casting
DN50/38	50	B3401022	38	90	AL-casting
DN50/42	50	B3401023	42	90	AL-casting
DN50/45	50	B3401024	45	90 <td AL-casting	
DN50/52	50	B3401025	52	90	AL-casting
DN50/52	50	B3401026	52	55	AL-casting
DN70/52	70	B3401027	52	95	AL-casting
DN70/65	70	B3401028	65	95	AL-casting
DN70/75	70	B3401029	75	95	AL-casting
DN80/52	80	B3401030	52	125	AL-casting
DN80/65	80	B3401031	65	125	AL-casting
DN80/70	80	B3401032	70	125	AL-casting
DN80/75	80	B3401033	75	125	AL-casting
DN80/75	80	B3401034	75	60	AL-casting

